



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	2RU Bottom		1
2	CLS-632-2	Nuts - Types S, SS, CLS, CLSS, CLA	4
3	2RU Mount Brkt		2
4	SPM Cover		1
5	91249A146	6-32x.375 Black Oxide, PPH Screw	4
6		Black-Oxide Fnsh Pan Head Phil Machine Screw 12-24 Thread, 5/8" long	4
7	Single Lance 399212-40	Bridge Lance .157 ID to OD .394 Flat	5




PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF Rackmount Solutions, Inc. . ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF Rackmount Solutions, Inc. IS PROHIBITED.

Dim's not on this dwg are controlled by the cad file

		UNLESS OTHERWISE SPECIFIED:	NAME	DATE	Rackmount TITLE: SWPM-2			
		DIMENSIONS ARE IN INCHES	DRAWN	kc				2/18/10
		TOLERANCES:	CHECKED					
		FRACTIONAL ±	ENG APPR.					
		ANGULAR: MACH ± BEND ±1°	MFG APPR.					
		TWO PLACE DECIMAL ± .020	Q.A.			SIZE DWG. NO. REV	SCALE: 1:10 WEIGHT: SHEET 1 OF 3	
		THREE PLACE DECIMAL ± .010	COMMENTS:					
		INTERPRET GEOMETRIC TOLERANCING PER:						
		MATERIAL				B	SWPM-2	0
		FINISH						
NEXT ASSY	USED ON							
APPLICATION		DO NOT SCALE DRAWING						





PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS
 DRAWING IS THE SOLE PROPERTY OF
 Rackmount Solutions, Inc. . ANY
 REPRODUCTION IN PART OR AS A WHOLE
 WITHOUT THE WRITTEN PERMISSION OF
 Rackmount Solutions, Inc. IS
 PROHIBITED.

UNLESS OTHERWISE SPECIFIED:	
DIMENSIONS ARE IN INCHES	
TOLERANCES:	
FRACTIONAL	±
ANGULAR: MACH	±
BEND	±1°
TWO PLACE DECIMAL	± .020
THREE PLACE DECIMAL	± .010
INTERPRET GEOMETRIC TOLERANCING PER:	
MATERIAL	
16ga CRS	
FINISH	
Black Mini Tex	
NEXT ASSY	USED ON
APPLICATION	
DO NOT SCALE DRAWING	

10	NAME	DATE
010		
DRAWN		
CHECKED		
ENG APPR.		
MFG APPR.		
Q.A.		
COMMENTS:		

TITLE:		
SWPM-2		
SIZE	DWG. NO.	REV
B	SWPM-2	0
SCALE: 1:10		WEIGHT:
		SHEET 3 OF 3